

ICD-9 to ICD-10 Conversions for Common Diagnoses		
Diagnosis	ICD-9	ICD-10
Alcohol use disorder (moderate)	305.90	F10.20
Anorexia nervosa (restricting type)	307.1	F50.01
Anxiety disorder (unspecified)	300.00	F41.9
Attention-deficit hyperactivity disorder, combined type	314.01	F90.2
Bipolar I disorder, depressed episode	296.52	F31.32
Bipolar I disorder, manic episode	296.42	F31.12
Borderline personality disorder	301.83	F60.3
Bulimia nervosa	307.51	F50.2
Delirium (due to general medical condition)	293.0	F05
Major neurocognitive disorder due to Alzheimer's disease	294.10	F02.80
Persistent depressive disorder (dysthymia)	300.4	F341
Generalized anxiety disorder	300.02	F41.1
Major depression, single episode, moderate	296.22	F32.1
Major depression, recurrent, moderate	296.32	F33.1
Obsessive-compulsive disorder	300.3	F42
Panic disorder	300.01	F41.0
Personality disorder, unspecified	301.9	F60.9
Posttraumatic stress disorder	309.81	F43.10
Schizoaffective disorder, bipolar	295.70	F25.0
Schizoaffective disorder, depressive	295.70	F25.1
Schizophrenia	295.90	F20.0
Social anxiety disorder	300.23	F40.10

From the full article:
"ICD-10: What You Need to Know"
by Daniel Carlat, MD

The Carlat Psychiatry Report, Volume 4, Number 1, January 2015
www.thecarlatreport.com